

ICD-10-CM Casefinding List, 2022
Based on the International Classification of Diseases, ICD-10-CM Tabular List of Diseases and Injuries, FY 2022

COMPREHENSIVE ICD-10-CM Casefinding Code List for Reportable Tumors (EFFECTIVE DATES: 10/1/2021-9/30/2022)	
Please refer to your standard setter(s) for specific reporting requirements before using the Casefinding List	
ICD-10-CM Code	Explanation of Code
C00.- - C43.-, C4A.-, C45.- - C48.-, C49.- - C96.-	Malignant neoplasms (excluding category C44 and C49.A), stated or presumed to be primary (of specified site) and certain specified histologies Note: The following neoplasm codes are new for FY2022 (10/1/2021) C56.3: Malignant neoplasm of bilateral ovaries C79.63: Secondary malignant neoplasm of bilateral ovaries C84.7A: Anaplastic large cell lymphoma, ALK-negative, breast
C44.00, C44.09	Unspecified/other malignant neoplasm of skin of lip
C44.10-, C44.19-	Unspecified/other malignant neoplasm of skin of eyelid
C44.13-	Sebaceous cell carcinoma of skin of eyelid, including canthus
C44.20-, C44.29-	Unspecified/other malignant neoplasm skin of ear and external auricular canal
C44.30-, C44.39-	Unspecified/other malignant neoplasm of skin of other/unspecified parts of face
C44.40, C44.49	Unspecified/other malignant neoplasm of skin of scalp & neck
C44.50-, C44.59-	Unspecified/other malignant neoplasm of skin of trunk
C44.60-, C44.69-	Unspecified/other malignant neoplasm of skin of upper limb, incl. shoulder
C44.70-, C44.79-	Unspecified/other malignant neoplasm of skin of lower limb, including hip
C44.80, C44.89	Unspecified/other malignant neoplasm of skin of overlapping sites of skin
C44.90, C44.99	Unspecified/other malignant neoplasm of skin of unspecified sites of skin
C49.A-	Gastrointestinal Stromal Tumors Note: All GIST tumors are now reportable starting in 2021 (per ICD-O-3.2), including GIST, NOS
D00.- - D05.-, D07.- - D09	In-situ neoplasms Note 1: Excludes carcinoma in situ tumors of the cervix (D06._) Note 2: Excludes prostatic intraepithelial neoplasia (PIN III) (8148/2) of the prostate. Other prostate in situ histologies are reportable Note 3: For D04 (carcinoma in situ of skin), excludes basal and squamous cell in situ lesions
D13.7	Benign neoplasm of endocrine pancreas Note: Effective 1/1/2021: Review this code to look for the following which were previously a benign tumor of the pancreas, but is now malignant per ICD-O-3.2 <ul style="list-style-type: none"> • Islet cell adenoma • Nesidioblastoma • Islet cell adenomatosis • Insulinoma • Beta cell adenoma
D18.02	Hemangioma of intracranial structures and any site

1 Note: Pilocytic/juvenile astrocytoma M-9421 moved from behavior /3 (malignant) to /1 (borderline malignancy) in ICD-O-3. However, SEER registries will CONTINUE to report these cases and code behavior as /3 (malignant).
NOTE: Cases with the codes listed below should be screened as registry time allows. Experience in the SEER registries has shown that using the supplemental list increases casefinding for benign brain and CNS, hematopoietic neoplasms, and other reportable diseases

ICD-10-CM Casefinding List, 2022
Based on the International Classification of Diseases, ICD-10-CM Tabular List of Diseases and Injuries, FY 2022

COMPREHENSIVE ICD-10-CM Casefinding Code List for Reportable Tumors (EFFECTIVE DATES: 10/1/2021-9/30/2022)	
Please refer to your standard setter(s) for specific reporting requirements before using the Casefinding List	
ICD-10-CM Code	Explanation of Code
D21.4, D48.1	Benign neoplasm of connective and other soft tissue of abdomen Note: Effective 1/1/2021: Review this code to look for the following which were previously a benign tumor of the pancreas, but is now malignant per ICD-O-3.2 <ul style="list-style-type: none"> • Gastrointestinal stromal tumor, NOS/GIST, NOS/Gastrointestinal autonomic nerve tumor/GANT/Gastrointestinal pacemaker cell tumor (8936/1, now 8936/3)
D23.9	Other benign neoplasm of skin Benign carcinoid tumors of other sites Note: Effective 1/1/2021: Review these code to look for the following which were previously benign and borderline tumors, but are now malignant per ICD-O-3.2 <ul style="list-style-type: none"> • Aggressive digital papillary adenoma (c44_) (8408/1, but now 8408/3)
D3A._	Benign carcinoid tumors of other sites Note: Effective 1/1/2021: Review these codes to look for the following which were previously benign and borderline tumors, but are now malignant per ICD-O-3.2 <ul style="list-style-type: none"> • Carcinoid tumor, argentaffinoma, NOS (8240/1, now 8241/3) • Enterochromaffin-like cell carcinoid, NOS (8242/1, now 8241/3)
D32.-	Benign neoplasm of meninges (cerebral, spinal and unspecified)
D33.-	Benign neoplasm of brain and other parts of central nervous system
D35.00 - D35.02	Benign neoplasm of adrenal gland Note: Effective 1/1/2021: Review this code to look for the following which was previously a benign (8700/0) tumor of the adrenal gland, but is now malignant per ICD-O-3.2 (8700/3) <ul style="list-style-type: none"> • Pheochromocytoma • Adrenal medullary paraganglioma • Chromaffin paraganglioma • Chromaffin tumor • Chromaffinoma
D35.2 - D35.4	Benign neoplasm of pituitary gland, craniopharyngeal duct and pineal gland

*I Note: Pilocytic/juvenile astrocytoma M-9421 moved from behavior /3 (malignant) to /1 (borderline malignancy) in ICD-O-3. However, SEER registries will CONTINUE to report these cases and code behavior as /3 (malignant).
 NOTE: Cases with the codes listed below should be screened as registry time allows. Experience in the SEER registries has shown that using the supplemental list increases casefinding for benign brain and CNS, hematopoietic neoplasms, and other reportable diseases*

ICD-10-CM Casefinding List, 2022
Based on the International Classification of Diseases, ICD-10-CM Tabular List of Diseases and Injuries, FY 2022

COMPREHENSIVE ICD-10-CM Casefinding Code List for Reportable Tumors (EFFECTIVE DATES: 10/1/2021-9/30/2022)	
Please refer to your standard setter(s) for specific reporting requirements before using the Casefinding List	
ICD-10-CM Code	Explanation of Code
D37.8	Neoplasm of uncertain behavior of other specified digestive organs (includes uncertain behavior of pancreas) Note: Effective 1/1/2021: Review this code to look for the following histologies which were previously borderline tumors, but are now malignant per ICD-O-3.2 <ul style="list-style-type: none"> • Pancreatic endocrine tumor, NOS (C259, 8150/1, now 8150/3) • Islet cell tumor, NOS (C259, 8150/1, now 8150/3) • Glucagonoma, NOS (C259, 8152/1, now 8152/3) • Alpha cell tumor, NOS (C259, 8152/1, now 8152/3) • Glucagon-like peptid-producing tumor (C259, 8152/1, now 8152/3) • Somatostatinoma, NOS (8156/1, now 8156/3) • Somatostatin cell tumor, NOS (8156/1, now 8156/3) • Endocrine tumor, functioning, NOS (8158/1, now 8158/3) • ACTH-producing tumor (8158/1, now 8158/3)
D42.-, D43.-	Neoplasm of uncertain or unknown behavior of meninges, brain, CNS
D44.3 - D44.5	Neoplasm of uncertain or unknown behavior of pituitary gland, craniopharyngeal duct and pineal gland
D44.6	Neoplasm of uncertain behavior of carotid body Note: Effective 1/1/2021: Review this code to look for the following histologies which were previously borderline tumors, but are now malignant per ICD-O-3.2 <ul style="list-style-type: none"> • Carotid body tumor/Carotid body paraganglioma (8692/1, now 8692/3)
D44.7	Neoplasm of uncertain behavior of aortic body and other paraganglia Note: Effective 1/1/2021: Review this code to look for the following histologies which were previously borderline tumors, but are now malignant per ICD-O-3.2 <ul style="list-style-type: none"> • Paraganglioma, NOS (8680/1, now 8680/3) • Sympathetic paraganglioma (8681/1, now 8681/3) • Parasympathetic paraganglioma (8682/1, now 8682/3) • Glomulus jugulare tumor, NOS/jugular paraganglioma/juglotympanic paraganglioma (8690/1, now 8690/3) • Aortic body tumor/aortic body paraganglioma/aorticopulmonary paraganglioma (8691/1, now 8691/3) • Extra-adrenal paraganglioma, NOS/nonchromaffin paraganglioma, NOS/chemodectoma (8693/1, now 8693/3)
D45	Polycythemia vera (9950/3) ICD-10-CM Coding instruction note: Excludes familial polycythemia (C75.0), secondary polycythemia (D75.1)
D46.-	Myelodysplastic syndromes (9980, 9982, 9983, 9985, 9986, 9989, 9993)

*1 Note: Pilocytic/juvenile astrocytoma M-9421 moved from behavior /3 (malignant) to /1 (borderline malignancy) in ICD-O-3. However, SEER registries will CONTINUE to report these cases and code behavior as /3 (malignant).
 NOTE: Cases with the codes listed below should be screened as registry time allows. Experience in the SEER registries has shown that using the supplemental list increases casefinding for benign brain and CNS, hematopoietic neoplasms, and other reportable diseases*

ICD-10-CM Casefinding List, 2022
Based on the International Classification of Diseases, ICD-10-CM Tabular List of Diseases and Injuries, FY 2022

COMPREHENSIVE ICD-10-CM Casefinding Code List for Reportable Tumors (EFFECTIVE DATES: 10/1/2021-9/30/2022)	
Please refer to your standard setter(s) for specific reporting requirements before using the Casefinding List	
ICD-10-CM Code	Explanation of Code
D47.02	Systemic mastocytosis
D47.1	Chronic myeloproliferative disease (9963/3, 9975/3) ICD-10-CM Coding instruction note: Excludes the following: Atypical chronic myeloid leukemia BCR/ABL-negative (C92.2_) Chronic myeloid leukemia BCR/ABL-positive (C92.1_) Myelofibrosis & Secondary myelofibrosis (D75.81) Myelophthasic anemia & Myelophthisis (D61.82)
D47.3	Essential (hemorrhagic) thrombocythemia (9962/3) Includes: Essential thrombocytosis, idiopathic hemorrhagic thrombocythemia
D47.4	Osteomyelofibrosis (9961/3) Includes: Chronic idiopathic myelofibrosis Myelofibrosis (idiopathic) (with myeloid metaplasia) Myelosclerosis (megakaryocytic) with myeloid metaplasia Secondary myelofibrosis in myeloproliferative disease
D47.9	Neoplasm of uncertain behavior of lymphoid, hematopoietic and related tissue, unspecified (9970/1, 9931/3)
D47.Z-	Neoplasm of uncertain behavior of lymphoid, hematopoietic and related tissue, unspecified (9960/3, 9970/1, 9971/3, 9931/3) Note: Effective 1/1/2021, PTLN (9971/3) is no longer reportable (9971/1)
D48.0	Neoplasm of uncertain behavior of bone and articular cartilage Note: Effective 1/1/2021: Review this code to look for the following histologies which were previously borderline tumors, but are now malignant per ICD-O-3.2 • Clear cell odontogenic tumor (9341/1, now 9341/3)
D49.2	Neoplasm of unspecified behavior of digestive organs (includes unspecified behavior of pancreas) Note: Review this code to look for the following which were previously unknown behavior tumors of the pancreas, but are now malignant tumors per ICD-O-3.2 (Histology 8150/3) • Pancreatic endocrine tumor, NOS • Islet cell tumor, NOS
D49.6, D49.7	Neoplasm of unspecified behavior of brain, endocrine glands and other CNS
D72.110	Hypereosinophilic syndrome [HES] (9964/3) Effective 10/1/2020 Note: Previous code (FY 2015- FY 2020): D72.1: Eosinophilia
D72.111	Lymphocytic Variant Hypereosinophilic Syndrome [LHES] (9964/3) Effective 10/1/2020 Note: Previous code (FY 2015- FY 2020): D72.1: Eosinophilia Syndrome [LHES]

*I Note: Pilocytic/juvenile astrocytoma M-9421 moved from behavior /3 (malignant) to /1 (borderline malignancy) in ICD-O-3. However, SEER registries will CONTINUE to report these cases and code behavior as /3 (malignant).
NOTE: Cases with the codes listed below should be screened as registry time allows. Experience in the SEER registries has shown that using the supplemental list increases casefinding for benign brain and CNS, hematopoietic neoplasms, and other reportable diseases*

ICD-10-CM Casefinding List, 2022
Based on the International Classification of Diseases, ICD-10-CM Tabular List of Diseases and Injuries, FY 2022

COMPREHENSIVE ICD-10-CM Casefinding Code List for Reportable Tumors (EFFECTIVE DATES: 10/1/2021-9/30/2022)	
Please refer to your standard setter(s) for specific reporting requirements before using the Casefinding List	
ICD-10-CM Code	Explanation of Code
D72.118	Other Hypereosonophilic syndrome (9964/3) Effective 10/1/2020 Note: Previous code (FY 2015- FY 2020): D72.1: Eosinophilia
D72.119	Hypereosonophilic syndrome (9964/3) Effective 10/1/2020 Note: Previous code (FY 2015- FY 2020): D72.1: Eosinophilia
K31.A22	Gastric intestinal metaplasia with high grade dysplasia
R85.614	Cytologic evidence of malignancy on smear of anus
R87.614	Cytologic evidence of malignancy on smear of cervix
R87.624	Cytologic evidence of malignancy on smear of vagina

*1 Note: Pilocytic/juvenile astrocytoma M-9421 moved from behavior /3 (malignant) to /1 (borderline malignancy) in ICD-O-3. However, SEER registries will CONTINUE to report these cases and code behavior as /3 (malignant).
NOTE: Cases with the codes listed below should be screened as registry time allows. Experience in the SEER registries has shown that using the supplemental list increases casefinding for benign brain and CNS, hematopoietic neoplasms, and other reportable diseases*

ICD-10-CM Casefinding List, 2022
Based on the International Classification of Diseases, ICD-10-CM Tabular List of Diseases and Injuries, FY 2022

SUPPLEMENTAL LIST ICD-10-CM (EFFECTIVE DATES: 10/1/2021-9/30/2022)	
Please refer to your standard setter(s) for specific reporting requirements before using the Casefinding List	
ICD-10-CM Code	Explanation of Code
B20	Human immunodeficiency virus [HIV] disease with other diseases
B97.33, B97.34, B97.35	Human T-cell lymphotropic virus, (type I [HTLV-1], type II [HTLV-II], type 2 [HIV 2]) as the cause of diseases classified elsewhere
B97.7	Papillomavirus as the cause of diseases classified elsewhere
C44.01, C44.02	Basal/squamous cell carcinoma of skin of lip
C44.11-, C44.12-	Basal/squamous cell carcinoma of skin of eyelid
C44.21-, C44.22-	Basal/squamous cell carcinoma of skin of ear and external auricular canal
C44.31-, C44.32-	Basal/squamous cell carcinoma of skin of other and unspecified parts of face
C44.41, C44.42	Basal/squamous cell carcinoma of skin of scalp and neck
C44.51-, C44.52-	Basal/squamous cell carcinoma of skin of trunk
C44.61-, C44.62-	Basal/squamous cell carcinoma of skin of upper limb, including shoulder
C44.71-, C44.72-	Basal/squamous cell carcinoma of skin of lower limb, including hip
C44.81, C44.82	Basal/squamous cell carcinoma of skin of overlapping sites of skin
C44.91, C44.92	Basal/squamous cell carcinoma of skin of unspecified sites of skin
D06.-	Carcinoma in situ of the cervix
D10.- - D31.-, D34, D35.0, D35.1, D35.5-, D35.9, D36.-	Benign neoplasms (see "must collect" list for reportable benign neoplasms) Note: Screen for incorrectly coded malignancies or reportable by agreement tumors Note: Borderline cystadenomas M-8442, 8451, 8462, 8472, 8473, of the ovaries moved from behavior /3 (malignant) to /1 (borderline malignancy) in ICD-O-3. SEER registries are not required to collect these cases for diagnoses made 1/1/2001 and after. However, cases diagnosed prior to 1/1/2001 should still be abstracted and reported to SEER.
D37. _ - D41. _	Neoplasms of uncertain or unknown behavior (see "must collect" list for reportable neoplasms of uncertain or unknown behavior) Note: Screen for incorrectly coded malignancies or reportable by agreement tumors
D44.0 - D44.2, D44.6-D44.9	Neoplasm of uncertain or unknown behavior of other endocrine glands (see "must collect" list for D44.3-D44.5) Note: Screen for incorrectly coded malignancies or reportable by agreement tumors
D47.01	Cutaneous mastocytosis (9740/1)
D47.09	Other mast cell neoplasms of uncertain behavior
D47.2	Monoclonal gammopathy Note: Screen for incorrectly coded Waldenstrom's macroglobulinemia
D47.22	Castleman disease

1 Note: Pilocytic/juvenile astrocytoma M-9421 moved from behavior /3 (malignant) to /1 (borderline malignancy) in ICD-O-3. However, SEER registries will CONTINUE to report these cases and code behavior as /3 (malignant).
NOTE: Cases with the codes listed below should be screened as registry time allows. Experience in the SEER registries has shown that using the supplemental list increases casefinding for benign brain and CNS, hematopoietic neoplasms, and other reportable diseases

ICD-10-CM Casefinding List, 2022
Based on the International Classification of Diseases, ICD-10-CM Tabular List of Diseases and Injuries, FY 2022

SUPPLEMENTAL LIST ICD-10-CM (EFFECTIVE DATES: 10/1/2021-9/30/2022)	
Please refer to your standard setter(s) for specific reporting requirements before using the Casefinding List	
ICD-10-CM Code	Explanation of Code
D48.-	Neoplasm of uncertain behavior of other and unspecified sites
D49.0 - D49.9	Neoplasm of unspecified behavior (except for D49.6 and D49.7)
D61.1	Drug-induced aplastic anemia (also known as “aplastic anemia due to antineoplastic chemotherapy”) ICD-10-CM Coding instruction note: Use additional code for adverse effect, if applicable, to identify drug
D61.810	Antineoplastic chemotherapy induced pancytopenia
D61.82	Myelophthisis ICD-10-CM Coding instruction: Code first the underlying disorder, such as: malignant neoplasm of breast (C50. _)
D63.0	Anemia in neoplastic disease ICD-10-CM Coding instruction: Code first neoplasm (C00-C49)
D64.81	Anemia due to antineoplastic chemotherapy
D69.49, D69.59, D69.6	Other thrombocytopenia Note: Screen for incorrectly coded thrombocythemia
D70.1	Agranulocytosis secondary to cancer chemotherapy ICD-10-CM Coding instruction: code also underlying neoplasm
D75.81	Myelofibrosis (note: this is not primary myelofibrosis [9961/3]) ICD-10-CM Coding instruction note: Code first the underlying disorder, such as: malignant neoplasm of breast (C50. _)
D76.-	Other specified diseases with participation of lymphoreticular and reticulohistiocytic tissue
D89.0, D89.1	Other disorders involving the immune mechanism, not elsewhere classified Note: Review for miscodes
D89.4-	Mast cell activation syndrome and related disorders
E08	Diabetes mellitus due to underlying condition ICD-10-CM Coding instruction note: Code first the underlying condition, such as: malignant neoplasm (C00-C96)
E31.2-	Multiple endocrine neoplasia [MEN] syndromes ICD-10-CM Coding instruction: Code also any associated malignancies and other conditions associated with the syndromes
E34.0	Carcinoid syndrome ICD-10-CM Coding instruction: May be used as an additional code to identify functional activity associated with a carcinoid tumor
E83.52	Hypercalcemia
E88.09	Other disorders of plasma-protein metabolism, not elsewhere classified

*1 Note: Pilocytic/juvenile astrocytoma M-9421 moved from behavior /3 (malignant) to /1 (borderline malignancy) in ICD-O-3. However, SEER registries will CONTINUE to report these cases and code behavior as /3 (malignant).
NOTE: Cases with the codes listed below should be screened as registry time allows. Experience in the SEER registries has shown that using the supplemental list increases casefinding for benign brain and CNS, hematopoietic neoplasms, and other reportable diseases*

ICD-10-CM Casefinding List, 2022
Based on the International Classification of Diseases, ICD-10-CM Tabular List of Diseases and Injuries, FY 2022

SUPPLEMENTAL LIST ICD-10-CM (EFFECTIVE DATES: 10/1/2021-9/30/2022)	
Please refer to your standard setter(s) for specific reporting requirements before using the Casefinding List	
ICD-10-CM Code	Explanation of Code
E88.3	Tumor lysis syndrome (following antineoplastic chemotherapy)
G13.0	Paraneoplastic neuromyopathy and neuropathy ICD-10-CM Coding instruction note: Code first underlying neoplasm (C00-D49)
G13.1	Other systemic atrophy primarily affecting central nervous system in neoplastic disease ICD-10-CM Coding instruction note: Code first underlying neoplasm (C00-D49)
G32.8-	Other specified degenerative disorders of nervous system in diseases classified elsewhere ICD-10-CM Coding instruction note: Code first underlying disease, such as: cerebral degeneration (due to) neoplasm (C00-D49)
G53	Cranial nerve disorders in diseases classified elsewhere Note: Code first underlying neoplasm (C00-D49)
G55	Nerve root and plexus compressions in diseases classified elsewhere ICD-10-CM Coding instruction note: code also underlying disease, such as neoplasm (C00-D49)
G63	Polyneuropathy in diseases classified elsewhere ICD-10-CM Coding instruction note: Code first underlying disease, such as: neoplasm (C00-D49)
G73.1	Lambert-Eaton syndrome in neoplastic disease ICD-10-CM Coding instruction: Code first underlying neoplasm (C00-D49)
G89.3	Neoplasm related pain (acute)(chronic)
G99.2	Myelopathy in diseases classified elsewhere ICD-10-CM Coding instruction: Code first underlying disease, such as: neoplasm (C00-D49)
H47.42	Disorders of optic chiasm in (due to) neoplasm ICD-10-CM Coding instruction: Code also underlying condition
H47.52-	Disorders of visual pathways in (due to) neoplasm ICD-10-CM Coding instruction: Code also underlying condition
H47.63-	Disorders of visual cortex in (due to) neoplasm ICD-10-CM Coding instruction: Code also underlying condition
J34.81	Nasal mucositis (ulcerative)
J91.0	Malignant pleural effusion ICD-10-CM Coding instruction: Code first underlying neoplasm

*I Note: Pilocytic/juvenile astrocytoma M-9421 moved from behavior /3 (malignant) to /1 (borderline malignancy) in ICD-O-3. However, SEER registries will CONTINUE to report these cases and code behavior as /3 (malignant).
NOTE: Cases with the codes listed below should be screened as registry time allows. Experience in the SEER registries has shown that using the supplemental list increases casefinding for benign brain and CNS, hematopoietic neoplasms, and other reportable diseases*

ICD-10-CM Casefinding List, 2022
Based on the International Classification of Diseases, ICD-10-CM Tabular List of Diseases and Injuries, FY 2022

SUPPLEMENTAL LIST ICD-10-CM (EFFECTIVE DATES: 10/1/2021-9/30/2022)	
Please refer to your standard setter(s) for specific reporting requirements before using the Casefinding List	
ICD-10-CM Code	Explanation of Code
J93.12	Secondary spontaneous pneumothorax ICD-10-CM Coding instruction: Code first underlying condition, such as: Malignant neoplasm of bronchus and lung (C34._) Secondary malignant neoplasm of lung (C78.0_)
K12.31	Oral mucositis (ulcerative) due to antineoplastic therapy
K12.33	Oral mucositis (ulcerative) due to radiation
K22.711	Barrett's esophagus with high grade dysplasia
K62.7	Radiation proctitis
K62.82	Dysplasia of anus (AIN I and AIN II)
K92.81	Gastrointestinal mucositis (ulcerated) (due to antineoplastic therapy)
L10.81	Paraneoplastic pemphigus
M31.11	Hematopoietic stem cell transplantation-associated thrombotic microangiopathy Note: Effective 10/1/2021
M36.0	Dermato(poly)myositis in neoplastic disease ICD-10-CM Coding instruction: Code first underlying neoplasm (C00-D49)
M36.1	Arthropathy in neoplastic disease ICD-10-CM Coding instruction: Code first underlying neoplasm, such as: Leukemia (C91-C95), malignant histiocytosis (C96.A), multiple myeloma (C90.0)
M84.5-	Pathologic fracture in neoplastic disease ICD-10-CM Coding instruction: Code also underlying neoplasm (C00-D49)
M90.6-	Osteitis deformans in neoplastic disease ICD-10-CM Coding instruction: Code first the neoplasm (C40._, C41._)
N42.3	Dysplasia of prostate (PIN I and PIN II)
N52.35	Erectile dysfunction following radiation therapy
N52.36	Erectile dysfunction following interstitial seed therapy
N76.81	Mucositis (ulcerative) of vagina and vulva
N87.-	Dysplasia of cervix uteri (CIN I and CIN II)
N89.0, N89.1, N89.3	Vaginal dysplasia (VIN I and VIN II)
N90.0, N90.1, N90.3	Vulvar dysplasia (VAIN I and VAIN II)
O01.-	Hydatidiform mole Note: Benign tumor that can become malignant. If malignant, report as Choriocarcinoma (9100/3,) malignancy code in the C00- C97 range
O9A.1-	Malignant neoplasm complicating pregnancy, childbirth and the puerperium (conditions in C00-C96) ICD-10-CM Coding instruction: Use additional code to identify neoplasm
P04.11	Newborn affected by maternal antineoplastic chemotherapy

1 Note: Pilocytic/juvenile astrocytoma M-9421 moved from behavior /3 (malignant) to /1 (borderline malignancy) in ICD-O-3. However, SEER registries will CONTINUE to report these cases and code behavior as /3 (malignant).

NOTE: Cases with the codes listed below should be screened as registry time allows. Experience in the SEER registries has shown that using the supplemental list increases casefinding for benign brain and CNS, hematopoietic neoplasms, and other reportable diseases

ICD-10-CM Casefinding List, 2022
Based on the International Classification of Diseases, ICD-10-CM Tabular List of Diseases and Injuries, FY 2022

SUPPLEMENTAL LIST ICD-10-CM (EFFECTIVE DATES: 10/1/2021-9/30/2022)	
Please refer to your standard setter(s) for specific reporting requirements before using the Casefinding List	
ICD-10-CM Code	Explanation of Code
P04.12	Newborn affected by maternal cytotoxic drugs
Q85.0-	Neurofibromatosis (nonmalignant) (9540/1) Note: Neurofibromatosis is not cancer. These tumors can be precursors to acoustic neuromas, which are reportable
R18.0	Malignant ascites ICD-10-CM Coding instruction: Code first malignancy, such as: Malignant neoplasm of ovary (C56. _), secondary malignant neoplasm of retroperitoneum and peritoneum (C78.6)
R53.0	Neoplastic (malignant) related fatigue ICD-10-CM Coding instruction: Code first associated neoplasm
R59.-	Enlarged lymph nodes
R85.6-	Abnormal findings on cytological and histological examination of digestive organs Note: see "must collect" list for R85.614
R87.61-, R87.62-	Abnormal findings on cytological/histological examination of female genital organs Note: see "must collect" list for R87.614 and R87.624
R92.-	Abnormal findings on diagnostic imaging of breast
R97.-	Abnormal tumor markers
T38.6-	Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified
T38.8-, T38.9-	Poisoning by hormones and their synthetic substitutes
T45.1-	Poisoning by, adverse effect of and under dosing of antineoplastic and immunosuppressive drugs
T45.8-, T45.9-	Poisoning by primary systemic and hematological agent, unspecified
T66	Unspecified effects of radiation
T80.1	Vascular complications following infusion, transfusion and therapeutic injection
T80.2-	Infections following infusion, transfusion and therapeutic injection
T80.810	Extravasation of vesicant antineoplastic chemotherapy
T80.818	Extravasation of other vesicant agent
T80.82	Complication of immune effector cellular therapy - Complication of chimeric antigen receptor (CAR-T) cell therapy
T86.0	Complications of bone marrow transplant ICD-10-CM Coding instruction: Use addition code to identify other transplant complications, such as: malignancy associated with organ transplant (C80.2) or post-transplant lymphoproliferative disorders (PTLD) (D47.Z1)
Y63.2	Overdose of radiation given during therapy

*1 Note: Pilocytic/juvenile astrocytoma M-9421 moved from behavior /3 (malignant) to /1 (borderline malignancy) in ICD-O-3. However, SEER registries will CONTINUE to report these cases and code behavior as /3 (malignant).
NOTE: Cases with the codes listed below should be screened as registry time allows. Experience in the SEER registries has shown that using the supplemental list increases casefinding for benign brain and CNS, hematopoietic neoplasms, and other reportable diseases*

ICD-10-CM Casefinding List, 2022
Based on the International Classification of Diseases, ICD-10-CM Tabular List of Diseases and Injuries, FY 2022

SUPPLEMENTAL LIST ICD-10-CM (EFFECTIVE DATES: 10/1/2021-9/30/2022)	
Please refer to your standard setter(s) for specific reporting requirements before using the Casefinding List	
ICD-10-CM Code	Explanation of Code
Y84.2	Radiological procedure and radiotherapy as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure
Z03.89	Encounter for observation for other suspected diseases and conditions ruled out
Z08	Encounter for follow-up examination after completed treatment for malignant neoplasm (medical surveillance following completed treatment) ICD-10-CM Coding instruction: Use additional code to identify the personal history of malignant neoplasm (Z85._)
Z12.-	Encounter for screening for malignant neoplasms
Z13.0	Encounter for screening for diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism
Z15.0	Genetic susceptibility to malignant neoplasm ICD-10-CM Coding instruction: Code first, if applicable, any current malignant neoplasm (C00-C75, C81-C96); Use additional code, if applicable, for any personal history of malignant neoplasm (Z85._)
Z17.0, Z17.1	Estrogen receptor positive and negative status ICD-10-CM Coding instruction: Code first malignant neoplasm of breast (C50._)
Z40.0-	Encounter for prophylactic surgery for risk factors related to malignant neoplasms
Z42.1	Encounter for breast reconstruction following mastectomy
Z48.290	Encounter for aftercare following bone marrow transplant
Z48.3	Aftercare following surgery for neoplasm ICD-10-CM Coding instruction: Use additional code to identify the neoplasm
Z51.0	Encounter for antineoplastic radiation therapy
Z51.1-	Encounter for antineoplastic chemotherapy and immunotherapy
Z51.5, Z51.89	Encounter for palliative care and other specified aftercare
Z79.81-	Long term (current) use of agents affecting estrogen receptors and estrogen levels ICD-10-CM Coding instruction: Code first, if applicable, malignant neoplasm of breast (C50._), malignant neoplasm of prostate (C61)
Z80.-	Family history of primary malignant neoplasm
Z85.-	Personal history of malignant neoplasm ICD-10-CM Coding instruction: Code first any follow-up examination after treatment of malignant neoplasm (Z08)
Z86.0-, Z86.01-, Z86.03	Personal history of in situ and benign neoplasms and neoplasms of uncertain behavior

I Note: Pilocytic/juvenile astrocytoma M-9421 moved from behavior /3 (malignant) to /1 (borderline malignancy) in ICD-O-3. However, SEER registries will CONTINUE to report these cases and code behavior as /3 (malignant).
NOTE: Cases with the codes listed below should be screened as registry time allows. Experience in the SEER registries has shown that using the supplemental list increases casefinding for benign brain and CNS, hematopoietic neoplasms, and other reportable diseases

ICD-10-CM Casefinding List, 2022
Based on the International Classification of Diseases, ICD-10-CM Tabular List of Diseases and Injuries, FY 2022

SUPPLEMENTAL LIST ICD-10-CM (EFFECTIVE DATES: 10/1/2021-9/30/2022) Please refer to your standard setter(s) for specific reporting requirements before using the Casefinding List	
ICD-10-CM Code	Explanation of Code
Z92.21, Z92.23, Z92.25, Z92.3	Personal history of antineoplastic chemotherapy, estrogen therapy, immunosuppression therapy or irradiation (radiation)
Z92.850	Personal history of Chimeric Antigen Receptor T-cell therapy- Personal history of CAR-T-cell therapy
Z94.81, Z94.84	Bone marrow and stem cell transplant status

I Note: Pilocytic/juvenile astrocytoma M-9421 moved from behavior /3 (malignant) to /1 (borderline malignancy) in ICD-O-3. However, SEER registries will CONTINUE to report these cases and code behavior as /3 (malignant).
NOTE: Cases with the codes listed below should be screened as registry time allows. Experience in the SEER registries has shown that using the supplemental list increases casefinding for benign brain and CNS, hematopoietic neoplasms, and other reportable diseases