Grade Post Therapy Clin (yc) (Lung)

| Organization | Field Name | ID | Required |
|--------------|------------------------------|-------|----------|
| KCR | Grade Post Therapy Clin (yc) | 30141 | yes |
| SEER | Grade Post Therapy Clin (yc) | 1068 | yes |

Note 1 Leave Grade Post Therapy Clin (yc) blank when

- No neoadjuvant therapy
- · Clinical or pathological case only
- Neoadjuvant therapy completed, no microscopic exam is done prior to surgery/resection of primary tumor
- There is only one grade available and it cannot be determined if it is clinical, pathological, post therapy clinical or post therapy pathological

Note 2 Assign the highest grade from the microscopically sampled specimen of the primary site following neoadjuvant therapy or primary systemic /radiation therapy.

Note 3 If there are multiple tumors with different grades abstracted as one primary, code the highest grade.

Note 4 G4 includes anaplastic.

Note 5 Code 9 (unknown) when

- · Microscopic exam is done after neoadjuvant therapy and grade from the primary site is not documented
- Microscopic exam is done after neoadjuvant therapy and there is no residual cancer
 Grade checked "not applicable" on CAP Protocol (if available) and no other grade information is available

| Code | Description |
|-----------------|---|
| 1 | G1: Well differentiated |
| 2 | G2: Moderately differentiated |
| 3 | G3: Poorly differentiated |
| 4 | G4: Undifferentiated |
| 9 | Grade cannot be assessed (GX); Unknown Not applicable |
| <blank></blank> | See Note 1 |