

Grade Post Therapy Path (yp) (Melanoma Conjunctiva)

Organization	Field Name	ID	Required
KCR	Grade Post Therapy Path (yp)	30138	yes
SEER	Grade Post Therapy Path (yp)	3845	yes

Note 1 Leave Grade Post Therapy Path (yp) blank when

- No neoadjuvant therapy
- Clinical or pathological case only
- Neoadjuvant therapy completed; surgical resection not done
- There is only one grade available and it cannot be determined if it is clinical, pathological, post therapy clinical or post therapy pathological

Note 2 Assign the highest grade from the resected primary tumor assessed after the completion of neoadjuvant therapy.

Note 3 If there are multiple tumors with different grades abstracted as one primary, code the highest grade.

Note 4 Use the grade from the post therapy **clinical work up** from the primary tumor in different scenarios based on behavior or surgical resection

- **Behavior**
- Tumor behavior for the post therapy clinical and the post therapy pathological diagnoses are the same AND the post therapy clinical grade is the highest grade
- Tumor behavior for post therapy clinical diagnosis is invasive, and the tumor behavior for the post therapy pathological diagnosis is in situ
- **Surgical Resection**
- Surgical resection is done of the primary tumor after neoadjuvant therapy is completed and there is no grade documented from the surgical resection
- Surgical resection is done of the primary tumor after neoadjuvant therapy is completed and there is no residual cancer

Note 5 Code 9 (unknown) when

- Surgical resection is done after neoadjuvant therapy and grade from the primary site is not documented
- Surgical resection is done after neoadjuvant therapy and there is no residual cancer
- Grade checked "not applicable" on CAP Protocol (if available) and no other grade information is available

Code	Description
A	Well differentiated
B	Moderately differentiated
C	Poorly differentiated
D	Undifferentiated, anaplastic
9	Grade cannot be assessed; Unknown
<BLANK>	See Note 1