

Grade Post Therapy Clin (yc) (NET Colon and Rectum)

Organization	Field Name	ID	Required
KCR	Grade Post Therapy Clin (yc)	30141	yes
SEER	Grade Post Therapy Clin (yc)	1068	yes

Note 1 Leave Grade Post Therapy Clin (yc) blank when

- No neoadjuvant therapy
- Clinical or pathological case only
- Neoadjuvant therapy completed, no microscopic exam is done prior to surgery/resection of primary tumor
- There is only one grade available and it cannot be determined if it is clinical, pathological, post therapy clinical or post therapy pathological

Note 2 Assign the highest grade from the microscopically sampled specimen of the primary site following neoadjuvant therapy or primary systemic /radiation therapy.

Note 3 If there are multiple tumors with different grades abstracted as one primary, code the highest grade.

Note 4 Codes 1-3 take priority over codes A-D.

Note 5 Code 9 (unknown) when

- Microscopic exam is done after neoadjuvant therapy and grade from the primary site is not documented
- Microscopic exam is done after neoadjuvant therapy and there is no residual cancer
- Grade checked "not applicable" on CAP Protocol (if available) and no other grade information is available

Code	Description
1	G1: Mitotic count (per 10 HPF or 2mm2) less than 2 AND Ki-67 index (%) less than 3 Stated as WHO Grade 1
2	G2: Mitotic count (per 10 HPF or 2mm2) equal 2-20 OR Ki-67 index (%) equal 3-20 Stated as WHO Grade 2
3	G3: Mitotic count (per 10 HPF or 2mm2) greater than 20 OR Ki-67 index (%) greater than 20 Stated as WHO Grade 3
A	Well differentiated
B	Moderately differentiated
C	Poorly differentiated
D	Undifferentiated, anaplastic
9	Grade cannot be assessed (GX); Unknown
<BLANK>	See Note 1